

FOX VALLEY ORTHOPEDICS MEDIAL REEFING

All surgeons: Start PT 4 weeks post op

PHASE 1

week 4

- WBAT with hinged knee brace in extension x 4 weeks
- AROM, PROM as tolerated
- Strengthening

Open chain as tolerated Gentle closed chain

• Manual therapy

Patellar mobilizations Soft tissue mobilizations LE stretching

• Modalities

Electrical stimulation Cold packs

PHASE 2

week 4-6

- WBAT, unlock brace once adequate quad control
- Surgeon may transition to smaller patella stabilizing bracecan be removed when inactive or sleeping
- AROM, PROM
- Strengthening

Open chain

Closed chain

Gait training

• Manual therapy

Patellar mobilizations
Soft tissue mobilizations
LE stretching

• Modalities

Electrical stimulation Cold packs

Continued

MEDIAL REEFING

PHASE 3

week 6+

- WBAT
- AROM, PROM
- Strengthening

Open chain

Closed chain as tolerated— allowed to flex as tolerated Gait training as needed

Jogging/running

Beginning plyometrics progressing to advanced

Sport specific exercises

• Manual therapy

Patellar mobilizations Soft tissue mobilizations LE stretching

• Modalities

Electrical stimulation Cold packs